

Name of Patient/Veteran	Patient/Veteran's Social Security Number	Date of examination:

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM.

Note - The Veteran is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. VA may obtain additional medical information, including an examination, if necessary, to complete VA's review of the Veteran's application. VA reserves the right to confirm the authenticity of ALL completed questionnaires. **It is intended that this questionnaire will be completed by the Veteran's healthcare provider.**

Are you completing this Disability Benefits Questionnaire at the request of:

Veteran/Claimant

Third party (please list name(s) of organization(s) or individual(s))

Other: please describe

Are you a VA Healthcare provider? Yes No

Is the Veteran regularly seen as a patient in your clinic? Yes No

Was the Veteran examined in person? Yes No

If no, how was the examination conducted?

EVIDENCE REVIEW

Evidence reviewed:

No records were reviewed

Records reviewed

Please identify the evidence reviewed (e.g. service treatment records, VA treatment records, private treatment records) and the date range.

DOMINANT HAND

Dominant hand: Right Left Ambidextrous

SECTION 1 - DIAGNOSIS

Note: These are condition(s) for which an evaluation has been requested on an exam request form (Internal VA) or for which the Veteran has requested medical evidence be provided for submission to VA.

1A. List the claimed conditions that pertain to this questionnaire:

Note: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in the comments section below. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis, or an approximate date determined through record review or reported history.

1B. Select diagnoses associated with the claimed condition(s) (check all that apply):

The Veteran does not have a current diagnosis associated with any claimed condition(s) listed above. (Explain your findings and reasons in the Remarks section)

	Side affected:			ICD code:	Date of diagnosis:		
	Right	Left	Both		Right:	Left:	
<input type="checkbox"/> Olecranon bursitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Tricep tendinitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Lateral epicondylitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Medial epicondylitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Instability (medial/posterolateral rotatory)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Dislocation, elbow	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Osteoarthritis, elbow	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Total elbow arthroplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Ankylosis of elbow joint	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Degenerative arthritis, other than post-traumatic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, gonorrhoeal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, pneumococcal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, streptococcal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, syphilitic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, rheumatoid (multi-joint)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, post-traumatic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Arthritis, typhoid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Other specified forms of arthropathy (excluding gout)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
	Specify						
<input type="checkbox"/> Osteoporosis, residuals of	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Osteomalacia, residuals of	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Bones, neoplasm, benign	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Osteitis deformans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Gout	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Bursitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Myositis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Heterotopic ossification	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Tendinopathy (select one if known)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Tendinitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Tendinosis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____
<input type="checkbox"/> Tenosynovitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	_____	_____	_____	_____

Other (specify)

Other diagnosis #1: _____

Right Left Both _____ Right: _____ Left: _____

Other diagnosis #2: _____

Right Left Both _____ Right: _____ Left: _____

If there are additional diagnoses that pertain to an elbow or forearm condition, please list using above format:

1C. Comments, if any:

Note: In all forearm injuries, if there are impaired finger movements due to tendon, muscle, or nerve injuries, also complete the appropriate additional questionnaire(s).

SECTION 2 - MEDICAL HISTORY

2A. Describe the history (including onset and course) of the Veteran's elbow and/or forearm condition (brief summary).

2B. Does the Veteran report flare-ups of the elbow or forearm?

Yes No

If yes, document the Veteran's description of flare-ups he or she experiences, including the frequency, duration, characteristics, precipitating and alleviating factors, severity and/or extent of the functional impairment he or she experiences during a flare-up of symptoms:

2C. Does the Veteran report having any functional loss or functional impairment of the joint or extremity being evaluated on this questionnaire, including but not limited to after repeated use over time?

Yes No

If yes, document the Veteran's description of functional loss or functional impairment in his or her own words:

2D. Are there complaints of painful motion on flexion and/or extension?

Yes No

If yes, check all that apply:

Flexion

If checked, indicate side:

Right Left Both

Extension

If checked, indicate side:

Right Left Both

If yes, is the complaint of painful motion related to the claimed condition(s) identified in the diagnosis section?

Yes No

If yes, please specify the condition(s)

If no, describe what it is attributed to:

2E. Are there complaints of painful motion on forearm supination and/or pronation?

Yes No

If yes, check all that apply:

Forearm supination

If checked, indicate side:

Right Left Both

Forearm pronation

If checked, indicate side:

Right Left Both

If yes, is the complaint of painful motion related to the claimed condition(s) identified in the diagnosis section?

Yes No

If yes, please specify the condition(s)

If no, describe what it is attributed to:

SECTION 3 - RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATION

There are several separate parameters requested for describing function of a joint. The question "Does this ROM contribute to a functional loss?" asks if there is a functional loss that can be ascribed to any documented loss of range of motion; and, unlike later questions, does not take into account the numerous other factors to be considered. Subsequent questions take into account additional factors such as pain, fatigue, weakness, lack of endurance, or incoordination. If there is pain noted on examination, it is important to understand whether or not that pain itself contributes to functional loss. Ideally, a claimant would be seen immediately after repetitive use over time or during a flare-up; however, this is not always feasible. Information regarding joint function on repetitive use is broken up into two subsets. The first subset is based on observed repetitive use, and the second is based on functional loss associated with repeated use over time. The observed repetitive use section initially asks for objective findings after three or more repetitions of range of motion testing. The second subset provides a more global picture of functional loss associated with repetitive use over time. The latter takes into account medical probability of additional functional loss as a global view. This takes into account not only the objective findings noted on the examination, but also the subjective history provided by the claimant, as well as review of the available medical evidence. Optimally, a description of any additional loss of function should be provided - such as what the degrees of range of motion would be opined to look like after repetitive use over time. However, when this is not feasible, an "as clear as possible" description of that loss should be provided. This same information (minus the three repetitions) is asked to be provided with regards to flare-ups.

RIGHT ELBOW	LEFT ELBOW
-------------	------------

3A. Initial ROM measurements:

Right elbow	<input type="checkbox"/> All Normal	<input type="checkbox"/> Abnormal or outside of normal range
	<input type="checkbox"/> Unable to test	<input type="checkbox"/> Not indicated

If unable to test or not indicated, please explain:

If ROM is outside of "normal" range, but is normal for the Veteran (for reasons other than an elbow condition, such as age, body habitus, neurologic disease), please describe:

If abnormal, does the range of motion itself contribute to a functional loss?

Yes No If yes, please explain:

Left elbow	<input type="checkbox"/> All normal	<input type="checkbox"/> Abnormal or outside of normal range
	<input type="checkbox"/> Unable to test	<input type="checkbox"/> Not indicated

If unable to test or not indicated, please explain:

If ROM is outside of "normal" range, but is normal for the Veteran (for reasons other than an elbow condition, such as age, body habitus, neurologic disease), please describe:

If abnormal, does the range of motion itself contribute to a functional loss?

Yes No If yes, please explain:

Note: For any joint condition, examiners should address pain on both passive and active motion, and on both weight-bearing and nonweight-bearing. Examiners should also test the contralateral joint (unless medically contraindicated). If testing cannot be performed, or is medically contraindicated (such as it may cause the Veteran severe pain or the risk of further injury), an explanation must be given. Please note any characteristics of pain observed on examination (such as facial expression or wincing on pressure or manipulation).

Can testing be performed? Yes No

If no, provide an explanation:

Can testing be performed? Yes No

If no, provide an explanation:

If this is the unclaimed joint, is it:

Damaged Undamaged

If undamaged, range of motion testing must be conducted.

Active Range of Motion (ROM) - Perform active range of motion and provide the ROM values:

Flexion endpoint (145 degrees) _____ degrees

Extension endpoint (0 degrees) _____ degrees

Forearm supination endpoint (85 degrees) _____ degrees

Forearm pronation endpoint (80 degrees) _____ degrees

If noted on examination, which ROM exhibited pain? (select all that apply):

Flexion Forearm supination

Extension Forearm pronation

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other, please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.

_____ Flexion degree endpoint (if different than above)

_____ Extension degree endpoint (if different than above)

_____ Forearm supination degree endpoint (if different than above)

_____ Forearm pronation degree endpoint (if different than above)

If this is the unclaimed joint, is it:

Damaged Undamaged

If undamaged, range of motion testing must be conducted.

Active Range of Motion (ROM) - Perform active range of motion and provide the ROM values:

Flexion endpoint (145 degrees) _____ degrees

Extension endpoint (0 degrees) _____ degrees

Forearm supination endpoint (85 degrees) _____ degrees

Forearm pronation endpoint (80 degrees) _____ degrees

If noted on examination, which ROM exhibited pain? (select all that apply):

Flexion Forearm supination

Extension Forearm pronation

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other, please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.

_____ Flexion degree endpoint (if different than above)

_____ Extension degree endpoint (if different than above)

_____ Forearm supination degree endpoint (if different than above)

_____ Forearm pronation degree endpoint (if different than above)

Passive range of motion - Perform passive range of motion and provide ROM values:

Flexion endpoint (145 degrees): _____ degrees Same as active ROM

Extension endpoint (0 degrees): _____ degrees Same as active ROM

Forearm supination endpoint (85 degrees): _____ degrees Same as active ROM

Forearm pronation endpoint (80 degrees): _____ degrees Same as active ROM

If noted on examination, which passive ROM exhibited pain? (select all that apply):

Flexion Forearm supination

Extension Forearm pronation

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other, please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.

_____ Flexion degree endpoint (if different than above)

_____ Extension degree endpoint (if different than above)

_____ Forearm supination degree endpoint (if different than above)

Passive range of motion - Perform passive range of motion and provide ROM values:

Flexion endpoint (145 degrees): _____ degrees Same as active ROM

Extension endpoint (0 degrees): _____ degrees Same as active ROM

Forearm supination endpoint (85 degrees): _____ degrees Same as active ROM

Forearm pronation endpoint (80 degrees): _____ degrees Same as active ROM

If noted on examination, which passive ROM exhibited pain? (select all that apply):

Flexion Forearm supination

Extension Forearm pronation

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other, please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.

_____ Flexion degree endpoint (if different than above)

_____ Extension degree endpoint (if different than above)

_____ Forearm supination degree endpoint (if different than above)

<p style="text-align: center;">Forearm pronation degree endpoint (if different than above)</p> <p>_____</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>	<p style="text-align: center;">Forearm pronation degree endpoint (if different than above)</p> <p>_____</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>
--	--

<p>Is there evidence of pain? <input type="radio"/> Yes <input type="radio"/> No If yes, check all that apply:</p> <p><input type="checkbox"/> Weight-bearing <input type="checkbox"/> Non-weightbearing</p> <p><input type="checkbox"/> Active motion <input type="checkbox"/> Passive motion</p> <p><input type="checkbox"/> On rest/non-movement <input type="checkbox"/> Does not result in/cause functional loss</p> <p><input type="checkbox"/> Causes functional loss (if checked, describe below):</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>	<p>Is there evidence of pain? <input type="radio"/> Yes <input type="radio"/> No If yes, check all that apply:</p> <p><input type="checkbox"/> Weight-bearing <input type="checkbox"/> Non-weightbearing</p> <p><input type="checkbox"/> Active motion <input type="checkbox"/> Passive motion</p> <p><input type="checkbox"/> On rest/non-movement <input type="checkbox"/> Does not result in/cause functional loss</p> <p><input type="checkbox"/> Causes functional loss (if checked, describe below):</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>
---	---

<p>Is there objective evidence of crepitus? <input type="radio"/> Yes <input type="radio"/> No</p>	<p>Is there objective evidence of crepitus? <input type="radio"/> Yes <input type="radio"/> No</p>
--	--

<p>Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If yes, please explain. Include location, severity, and relationship to condition(s):</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>	<p>Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If yes, please explain. Include location, severity, and relationship to condition(s):</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>
--	--

3B. Observed repetitive use ROM:

<p>Right elbow Is the Veteran able to perform repetitive-use testing with at least three repetitions?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If no, please explain:</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>	<p>Left elbow Is the Veteran able to perform repetitive-use testing with at least three repetitions?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If no, please explain:</p> <div style="border: 1px solid black; height: 120px; width: 100%;"></div>
---	--

Is there additional loss of function, or range of motion, after three repetitions?

Yes No

If yes, please respond to the following after the completion of the three repetitions:

Flexion endpoint (145 degrees) _____ degrees

Extension endpoint (0 degrees) _____ degrees

Supination endpoint (85 degrees) _____ degrees

Pronation endpoint (80 degrees) _____ degrees

Select factors that cause this functional loss. (check all that apply)

Pain Fatigability Weakness

Lack of endurance Incoordination N/A

Other (specify): _____

Is there additional loss of function, or range of motion, after three repetitions?

Yes No

If yes, please respond to the following after the completion of the three repetitions:

Flexion endpoint (145 degrees) _____ degrees

Extension endpoint (0 degrees) _____ degrees

Supination endpoint (85 degrees) _____ degrees

Pronation endpoint (80 degrees) _____ degrees

Select factors that cause this functional loss. (check all that apply)

Pain Fatigability Weakness

Lack of endurance Incoordination N/A

Other (specify): _____

Note: When pain is associated with movement, the examiner must give a statement on whether pain could significantly limit functional ability during flare-ups and/or after repeated use over time in terms of additional loss of range of motion. In the exam report, the examiner is requested to provide an estimate of decreased range of motion (in degrees) that reflect frequency, duration, and during flare-ups - even if not directly observed during a flare-up and/or after repeated use over time.

3C. Repeated use over time:

Right elbow

Is the Veteran being examined immediately after repeated use over time?

Yes No

Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?

Yes No

Select factors that cause this functional loss. (check all that apply)

Pain Fatigability Weakness

Lack of endurance Incoordination N/A

Other (specify): _____

Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources, including the lay statements of the Veteran:

Flexion endpoint (145 degrees): _____ degrees

Extension endpoint (0 degrees): _____ degrees

Forearm supination endpoint (85 degrees): _____ degrees

Forearm pronation endpoint (80 degrees): _____ degrees

The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed.

Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.)

[Empty box for evidence citation]

Left elbow

Is the Veteran being examined immediately after repeated use over time?

Yes No

Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?

Yes No

Select factors that cause this functional loss. (check all that apply)

Pain Fatigability Weakness

Lack of endurance Incoordination N/A

Other (specify): _____

Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources, including the lay statements of the Veteran:

Flexion endpoint (145 degrees): _____ degrees

Extension endpoint (0 degrees): _____ degrees

Forearm supination endpoint (85 degrees): _____ degrees

Forearm pronation endpoint (80 degrees): _____ degrees

The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed.

Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.)

[Empty box for evidence citation]

3D. Flare-ups:

<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%; padding: 2px;">Right elbow</td> <td style="padding: 2px;">Is the examination being conducted during a flare-up?</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 5px;"> <input type="radio"/> Yes <input type="radio"/> No </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups? </td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 5px;"> <input type="radio"/> Yes <input type="radio"/> No </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Select factors that cause this functional loss. (check all that apply) </td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Pain</td> <td style="padding: 2px;"><input type="checkbox"/> Fatigability</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Lack of endurance</td> <td style="padding: 2px;"><input type="checkbox"/> Incoordination</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Other (specify): _____</td> <td style="padding: 2px;"><input type="checkbox"/> Weakness</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> N/A</td> <td></td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran: </td> </tr> <tr> <td style="padding: 2px;">Flexion endpoint (145 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td style="padding: 2px;">Extension endpoint (0 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td style="padding: 2px;">Forearm supination endpoint (85 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td style="padding: 2px;">Forearm pronation endpoint (80 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed. </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.) </td> </tr> <tr> <td colspan="2" style="height: 60px;"></td> </tr> <tr> <td colspan="2" style="text-align: center; font-weight: bold;">RIGHT ELBOW</td> </tr> </table>	Right elbow	Is the examination being conducted during a flare-up?	<input type="radio"/> Yes <input type="radio"/> No		Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?		<input type="radio"/> Yes <input type="radio"/> No		Select factors that cause this functional loss. (check all that apply)		<input type="checkbox"/> Pain	<input type="checkbox"/> Fatigability	<input type="checkbox"/> Lack of endurance	<input type="checkbox"/> Incoordination	<input type="checkbox"/> Other (specify): _____	<input type="checkbox"/> Weakness	<input type="checkbox"/> N/A		Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran:		Flexion endpoint (145 degrees): _____	degrees	Extension endpoint (0 degrees): _____	degrees	Forearm supination endpoint (85 degrees): _____	degrees	Forearm pronation endpoint (80 degrees): _____	degrees	The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed.		Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.)				RIGHT ELBOW		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%; padding: 2px;">Left elbow</td> <td style="padding: 2px;">Is the examination being conducted during a flare-up?</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 5px;"> <input type="radio"/> Yes <input type="radio"/> No </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Does procured evidence (including lay testimony) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups? </td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 5px;"> <input type="radio"/> Yes <input type="radio"/> No </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Select factors that cause this functional loss. (check all that apply) </td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Pain</td> <td style="padding: 2px;"><input type="checkbox"/> Fatigability</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Lack of endurance</td> <td style="padding: 2px;"><input type="checkbox"/> Incoordination</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Other (specify): _____</td> <td style="padding: 2px;"><input type="checkbox"/> Weakness</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> N/A</td> <td></td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran: </td> </tr> <tr> <td style="padding: 2px;">Flexion endpoint (145 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td style="padding: 2px;">Extension endpoint (0 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td style="padding: 2px;">Forearm supination endpoint (85 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td style="padding: 2px;">Forearm pronation endpoint (80 degrees): _____</td> <td style="padding: 2px;">degrees</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed. </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.) </td> </tr> <tr> <td colspan="2" style="height: 60px;"></td> </tr> <tr> <td colspan="2" style="text-align: center; font-weight: bold;">LEFT ELBOW</td> </tr> </table>	Left elbow	Is the examination being conducted during a flare-up?	<input type="radio"/> Yes <input type="radio"/> No		Does procured evidence (including lay testimony) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?		<input type="radio"/> Yes <input type="radio"/> No		Select factors that cause this functional loss. (check all that apply)		<input type="checkbox"/> Pain	<input type="checkbox"/> Fatigability	<input type="checkbox"/> Lack of endurance	<input type="checkbox"/> Incoordination	<input type="checkbox"/> Other (specify): _____	<input type="checkbox"/> Weakness	<input type="checkbox"/> N/A		Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran:		Flexion endpoint (145 degrees): _____	degrees	Extension endpoint (0 degrees): _____	degrees	Forearm supination endpoint (85 degrees): _____	degrees	Forearm pronation endpoint (80 degrees): _____	degrees	The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed.		Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.)				LEFT ELBOW	
Right elbow	Is the examination being conducted during a flare-up?																																																																								
<input type="radio"/> Yes <input type="radio"/> No																																																																									
Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?																																																																									
<input type="radio"/> Yes <input type="radio"/> No																																																																									
Select factors that cause this functional loss. (check all that apply)																																																																									
<input type="checkbox"/> Pain	<input type="checkbox"/> Fatigability																																																																								
<input type="checkbox"/> Lack of endurance	<input type="checkbox"/> Incoordination																																																																								
<input type="checkbox"/> Other (specify): _____	<input type="checkbox"/> Weakness																																																																								
<input type="checkbox"/> N/A																																																																									
Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran:																																																																									
Flexion endpoint (145 degrees): _____	degrees																																																																								
Extension endpoint (0 degrees): _____	degrees																																																																								
Forearm supination endpoint (85 degrees): _____	degrees																																																																								
Forearm pronation endpoint (80 degrees): _____	degrees																																																																								
The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed.																																																																									
Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.)																																																																									
RIGHT ELBOW																																																																									
Left elbow	Is the examination being conducted during a flare-up?																																																																								
<input type="radio"/> Yes <input type="radio"/> No																																																																									
Does procured evidence (including lay testimony) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?																																																																									
<input type="radio"/> Yes <input type="radio"/> No																																																																									
Select factors that cause this functional loss. (check all that apply)																																																																									
<input type="checkbox"/> Pain	<input type="checkbox"/> Fatigability																																																																								
<input type="checkbox"/> Lack of endurance	<input type="checkbox"/> Incoordination																																																																								
<input type="checkbox"/> Other (specify): _____	<input type="checkbox"/> Weakness																																																																								
<input type="checkbox"/> N/A																																																																									
Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran:																																																																									
Flexion endpoint (145 degrees): _____	degrees																																																																								
Extension endpoint (0 degrees): _____	degrees																																																																								
Forearm supination endpoint (85 degrees): _____	degrees																																																																								
Forearm pronation endpoint (80 degrees): _____	degrees																																																																								
The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings, or a general aversion to offering an estimate on issues not directly observed.																																																																									
Please cite and discuss evidence here. (Must be specific to the case, and based on all procurable evidence.)																																																																									
LEFT ELBOW																																																																									

3E. Additional factors contributing to disability:

<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%; padding: 2px;">Right elbow</td> <td style="padding: 2px;">In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> None</td> <td style="padding: 2px;"><input type="checkbox"/> Interference with sitting</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Interference with standing</td> <td style="padding: 2px;"><input type="checkbox"/> Swelling</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Disturbance of locomotion</td> <td style="padding: 2px;"><input type="checkbox"/> Deformity</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Less movement than normal</td> <td style="padding: 2px;"><input type="checkbox"/> More movement than normal</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Weakened movement</td> <td style="padding: 2px;"><input type="checkbox"/> Atrophy of disuse</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Instability of station</td> <td style="padding: 2px;"><input type="checkbox"/> Other, describe: _____</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Please describe additional contributing factors of disability: </td> </tr> <tr> <td colspan="2" style="height: 60px;"></td> </tr> </table>	Right elbow	In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:	<input type="checkbox"/> None	<input type="checkbox"/> Interference with sitting	<input type="checkbox"/> Interference with standing	<input type="checkbox"/> Swelling	<input type="checkbox"/> Disturbance of locomotion	<input type="checkbox"/> Deformity	<input type="checkbox"/> Less movement than normal	<input type="checkbox"/> More movement than normal	<input type="checkbox"/> Weakened movement	<input type="checkbox"/> Atrophy of disuse	<input type="checkbox"/> Instability of station	<input type="checkbox"/> Other, describe: _____	Please describe additional contributing factors of disability:				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%; padding: 2px;">Left elbow</td> <td style="padding: 2px;">In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> None</td> <td style="padding: 2px;"><input type="checkbox"/> Interference with sitting</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Interference with standing</td> <td style="padding: 2px;"><input type="checkbox"/> Swelling</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Disturbance of locomotion</td> <td style="padding: 2px;"><input type="checkbox"/> Deformity</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Less movement than normal</td> <td style="padding: 2px;"><input type="checkbox"/> More movement than normal</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Weakened movement</td> <td style="padding: 2px;"><input type="checkbox"/> Atrophy of disuse</td> </tr> <tr> <td style="padding: 2px;"><input type="checkbox"/> Instability of station</td> <td style="padding: 2px;"><input type="checkbox"/> Other, describe: _____</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Please describe additional contributing factors of disability: </td> </tr> <tr> <td colspan="2" style="height: 60px;"></td> </tr> </table>	Left elbow	In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:	<input type="checkbox"/> None	<input type="checkbox"/> Interference with sitting	<input type="checkbox"/> Interference with standing	<input type="checkbox"/> Swelling	<input type="checkbox"/> Disturbance of locomotion	<input type="checkbox"/> Deformity	<input type="checkbox"/> Less movement than normal	<input type="checkbox"/> More movement than normal	<input type="checkbox"/> Weakened movement	<input type="checkbox"/> Atrophy of disuse	<input type="checkbox"/> Instability of station	<input type="checkbox"/> Other, describe: _____	Please describe additional contributing factors of disability:			
Right elbow	In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:																																				
<input type="checkbox"/> None	<input type="checkbox"/> Interference with sitting																																				
<input type="checkbox"/> Interference with standing	<input type="checkbox"/> Swelling																																				
<input type="checkbox"/> Disturbance of locomotion	<input type="checkbox"/> Deformity																																				
<input type="checkbox"/> Less movement than normal	<input type="checkbox"/> More movement than normal																																				
<input type="checkbox"/> Weakened movement	<input type="checkbox"/> Atrophy of disuse																																				
<input type="checkbox"/> Instability of station	<input type="checkbox"/> Other, describe: _____																																				
Please describe additional contributing factors of disability:																																					
Left elbow	In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:																																				
<input type="checkbox"/> None	<input type="checkbox"/> Interference with sitting																																				
<input type="checkbox"/> Interference with standing	<input type="checkbox"/> Swelling																																				
<input type="checkbox"/> Disturbance of locomotion	<input type="checkbox"/> Deformity																																				
<input type="checkbox"/> Less movement than normal	<input type="checkbox"/> More movement than normal																																				
<input type="checkbox"/> Weakened movement	<input type="checkbox"/> Atrophy of disuse																																				
<input type="checkbox"/> Instability of station	<input type="checkbox"/> Other, describe: _____																																				
Please describe additional contributing factors of disability:																																					

SECTION 4 - MUSCLE ATROPHY

Right elbow	4A. Does the Veteran have muscle atrophy? <input type="radio"/> Yes <input type="radio"/> No	Left elbow	4A. Does the Veteran have muscle atrophy? <input type="radio"/> Yes <input type="radio"/> No
4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section? <input type="radio"/> Yes <input type="radio"/> No If no, provide rationale here: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>		4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section? <input type="radio"/> Yes <input type="radio"/> No If no, provide rationale here: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>	
4C. For any muscle atrophy due to a diagnosis listed in Section 1, indicate specific location of atrophy, providing measurements in centimeters of normal side and corresponding atrophied side, measured at maximum muscle bulk: <input type="checkbox"/> Right upper extremity: specify location of measurement such as "10cm above or below elbow": <div style="border: 1px solid black; height: 100px; width: 100%;"></div> Circumference of normal side: _____ cm Circumference of atrophied side: _____ cm		4C. For any muscle atrophy due to a diagnosis listed in Section 1, indicate specific location of atrophy, providing measurements in centimeters of normal side and corresponding atrophied side, measured at maximum muscle bulk: <input type="checkbox"/> Left upper extremity: specify location of measurement such as "10cm above or below elbow": <div style="border: 1px solid black; height: 100px; width: 100%;"></div> Circumference of normal side: _____ cm Circumference of atrophied side: _____ cm	
4D. Comments, if any: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>		4D. Comments, if any: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>	

SECTION 5 - ANKYLOSIS

Note: Ankylosis is the immobilization of a joint due to disease, injury, or surgical procedure.

Right elbow	5A. Is there ankylosis of the elbow and/or forearm? <input type="radio"/> Yes <input type="radio"/> No If yes, indicate the severity of ankylosis: <input type="radio"/> Favorable ankylosis, at an angle between 90 degrees and 70 degrees <input type="radio"/> Intermediate ankylosis, at an angle of more than 90 degrees, or between 70 and 50 degrees <input type="radio"/> Unfavorable ankylosis <input type="checkbox"/> At an angle of less than 50 degrees <input type="checkbox"/> With complete loss of supination <input type="checkbox"/> With complete loss of pronation	Left elbow	5A. Is there ankylosis of the elbow and/or forearm? <input type="radio"/> Yes <input type="radio"/> No If yes, indicate the severity of ankylosis: <input type="radio"/> Favorable ankylosis, at an angle between 90 degrees and 70 degrees <input type="radio"/> Intermediate ankylosis, at an angle of more than 90 degrees, or between 70 and 50 degrees <input type="radio"/> Unfavorable ankylosis <input type="checkbox"/> At an angle of less than 50 degrees <input type="checkbox"/> With complete loss of supination <input type="checkbox"/> With complete loss of pronation
5B. Indicate angle of ankylosis in _____ degrees		5B. Indicate angle of ankylosis in _____ degrees	

SECTION 6 - OTHER IMPAIRMENTS

6A. Does the Veteran have flail joint, joint fracture, ununited fracture, malaligned fracture, or impairment of supination or pronation?

Yes No

If yes, indicate condition and complete the appropriate section(s) below:

- | | | | | | | | |
|--------------------------|--|-----------------------|-------|-----------------------|------|-----------------------|------|
| <input type="checkbox"/> | Flail joint | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | Joint fracture | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> With marked cubitus varus deformity | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> With marked cubitus valgus deformity | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> With ununited fracture of head of radius | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | Radius and ulna, nonunion of, with flail false joint | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | Ulna, impairment of | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> Nonunion in upper half with false movement: with loss of bone substance (1 inch (2.5 cm) or more) and marked deformity | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Nonunion in upper half with false movement: without loss of bone substance or deformity | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Nonunion in lower half | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Malunion of, with bad alignment | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | Radius, impairment of | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> Nonunion in lower half, with false movement: with loss of bone substance (1 inch (2.5 cm) or more) and marked deformity | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Nonunion in lower half, with false movement: without loss of bone substance or deformity | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Nonunion in upper half | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Malunion of, with bad alignment | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | Supination and pronation, impairment of | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> Loss of (bone fusion): hand fixed in supination | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Loss of (bone fusion): hand fixed in hyperpronation | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Loss of (bone fusion): hand fixed in full pronation | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Loss of (bone fusion): hand fixed near the middle of the arc or moderate pronation | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Limitation of pronation: motion lost beyond the middle of the arc | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Limitation of pronation: motion lost beyond last quarter of arc; hand does not approach full pronation | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |
| <input type="checkbox"/> | <input type="checkbox"/> Limitation of supination: 30 degrees or less | <input type="radio"/> | Right | <input type="radio"/> | Left | <input type="radio"/> | Both |

6B. Comments, if any:

SECTION 7 - SURGICAL PROCEDURES

Right elbow	7A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested. (check all that apply):	Left elbow	7A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested. (check all that apply):
	<input type="checkbox"/> No surgery <input type="checkbox"/> Total elbow joint replacement: Date of surgery: _____ Residuals: <input type="checkbox"/> None <input type="checkbox"/> Intermediate degrees of residual weakness, pain, or limitation of motion <input type="checkbox"/> Chronic residuals consisting of severe painful motion or weakness <input type="checkbox"/> Other, describe: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>		<input type="checkbox"/> No surgery <input type="checkbox"/> Total elbow joint replacement: Date of surgery: _____ Residuals: <input type="checkbox"/> None <input type="checkbox"/> Intermediate degrees of residual weakness, pain, or limitation of motion <input type="checkbox"/> Chronic residuals consisting of severe painful motion or weakness <input type="checkbox"/> Other, describe: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>
	<input type="checkbox"/> Arthroscopic or other elbow surgery: Type of surgery: _____ Date of surgery: _____ Describe residuals of arthroscopic or other surgery: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>		<input type="checkbox"/> Arthroscopic or other elbow surgery: Type of surgery: _____ Date of surgery: _____ Describe residuals of arthroscopic or other surgery: <div style="border: 1px solid black; height: 80px; width: 100%;"></div>

SECTION 8 - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS

8A. Does the Veteran have any other pertinent physical findings, complications, conditions, signs, and/or symptoms related to any of the conditions listed in the diagnosis section?

Yes No

If yes, describe (brief summary):

8B. Does the Veteran have any scars or other disfigurement of the skin related to any of the conditions, or to the treatment of any of the conditions, listed in the diagnosis section?

Yes No

If yes, also complete the appropriate dermatological questionnaire.

11C. If yes, provide type of test or procedure, date, and results (brief summary):

11D. Are there any other significant diagnostic test findings or results related to the claimed condition(s) and/or diagnosis(es), that were reviewed in conjunction with this exam?

Yes No

If yes, provide type of test or procedure, date, and results (brief summary):

11E. If any test results are other-than-normal, indicate relationship of abnormal findings to diagnosed conditions:

SECTION 12 - FUNCTIONAL IMPACT

Note: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.

12A. Regardless of the Veteran's current employment status, do the conditions listed in the diagnosis section impact his/her ability to perform any type of occupational task (such as standing, walking, lifting, sitting, etc.)?

Yes No

If yes, describe the functional impact of each condition, providing one or more examples:

SECTION 13 - REMARKS

13A. Remarks (if any - please identify the section to which the remark pertains when appropriate).

--

SECTION 14 - EXAMINER'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

PENALTY: The law provides severe penalties which include fine or imprisonment, or both, for the willful submission of any statement or evidence of a material fact, knowing it to be false, or for the fraudulent acceptance of any payment to which you are not entitled.

14A. Examiners signature: _____		14B. Examiner's printed name and title (e.g. MD, DO, DDS, DMD, Ph.D, Psy.D, NP, PA-C): _____	
14C. Examiner's area of practice/specialty (e.g. Cardiology, Orthopedics, Psychology/Psychiatry, General Practice): _____		14D. Date signed: _____	
14E. Examiner's phone/fax numbers: _____	14F. National Provider Identifier (NPI) number: _____	14G. Medical license number and state: _____	
14H. Examiner's address: _____ _____			